CHAPTER 12. REFERENCES CITED

Adams, P.W. and J.P. Ringer. 1994. The effects of timber harvesting and forest roads on water quantity and quality in the Pacific Northwest: summary and annotated bibliography. Forest Engineering Department, Oregon State University, Corvallis. 147 p.

Agee, J.K. 1991. Fire history of Douglas-fir forests in the Pacific Northwest. Pp. 25-33. In, L.F Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff (eds.) Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service Pacific Northwest Research Station. PNW-GTR-285. Portland, OR.

Berris, S.N. and R.D. Harr. 1987. Comparative snow accumulation and subsequent melt during rainfall in forested and clearcut plots in western Oregon. Water Resour. Res. 23(1):135-142.

Binkley, D. and T.C. Brown. 1993. Forest practices as nonpoint sources of pollution in North America. Water Resources Bulletin. 29(5):729-740.

BLM (Bureau of Land Management). 2003. Special Status Species Policy for Oregon and Washington. Memorandum No. OR-91-57. Last updated March 17, 2003. Portland, OR.

BLM. 1994. Record of decision for amendments to Forest Service and Bureau of Land Management Planning Documents Within the Range of the Northern Spotted Owl/Standards and Guidelines for Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. USDA Forest Service/USDI Bureau of Land Management. Report dated April 1994. Portland, OR.

Brosofske, K.D., J. Chen, R.J. Naiman, and J.F. Franklin. 1997. Harvesting effects on microclimate gradients from small streams to uplands in western Washington. Ecol. Appl. 7(4):1188-1200.

Brown, E.R. (ed.) 1985. Management of wildlife and fish habitats in forests of western Oregon and Washington. R6 F&WL - 192-1985. U.S. Department of Agriculture, Forest Service.

Brown, G.W. 1970. Predicting the effects of clearcutting on stream temperature. J. Soil Water Conserv. 25:11-13.

Brown, G.W. and J.T. Krygier. 1970. Effects of clear-cutting on stream temperature. Water Resources Research. 6(4):1133-1139.

Bunnell, Fred, Laurie L. Kremsater, and Ralph W. Wells. 1997. Likely consequences of forest management on terrestrial, forest-dwelling vertebrates in Oregon. The Oregon Forest Resources Institute. Portland, Oregon.

Campbell, S., Liegel, L. (tech. cords.), 1996. Disturbance and forest health in Oregon and Washington. General Technical Report PNW-GTR-381, USDA Forest Service, Portland, OR. 105p.

Chen, J, J.F. Franklin, and T.A. Spies. 1993. Contrasting microclimates among clearcut, edge, and interior of old-growth Douglas-fir forest. Agric. For. Meteorol. 63:219-237.

Coffin, B.A. and R.D. Harr. 1992. Effects of forest cover on volume of water delivered to soil during rain-on-snow. Project SH-1 Final Report submitted to Sediment, Hydrology, and Mass Wasting Steering Committee, Timber/Fish/Wildlife Program, Olympia, WA.

Curtis, R.O. 1982. A simple index of stand density for Douglas-fir. For. Sci. 28: 92-94.

Daly, C., R.P. Neilson, and D.L. Phillips. 1994. A statistical-topographic model for mapping climatological precipitation over mountainous terrain. J. Appl. Meteorol. 33:140-158.

EPA. 2001. Ambient Water Quality Criteria Recommendations: Information Supporting the Development of State and Tribal Nutrient Criteria. Rivers and Streams in Nutrient Ecoregion I. EPA 822-B-01-012. U.S. Environmental Protection Agency. Office of Water.

FEMAT [Forest Ecosystem Management Assessment Team]. 1993. Forest ecosystem management: an ecological, economic, and social assessment. USDA Forest Service, USDI Bureau of Land Management, USDI Fish and Wildlife Service, USDI National Park Service, Environmental Protection Agency, and NOAA National Marine Fisheries Service. Report dated July 1993. Portland, OR.

Franklin, J.F. and C.T. Dyrness. 1988. Natural vegetation of Oregon and Washington. Oregon State University Press. Corvallis, OR.

Franklin, J.F. and T.A. Spies. 1991. Composition, function, and structure of old-growth Douglas-fir forests. Pp. 71-80. In, L.F Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff (eds.) Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service Pacific Northwest Research Station. PNW-GTR-285. Portland, OR.

FSEIS [Final Supplemental Environmental Impact Statement]. 1994. USDA Forest Service/USDA Bureau of Land Management. Report dated February 1994. Portland, OR.

Harr, R.D. 1983. Potential for augmenting water yield through forest practices in western Washington and western Oregon. Water Resour. Bull. 19(3):383-393.

Harr, R.D. 1982. Fog drip in the Bull Run municipal watershed, Oregon. Water Resources Bulletin 18(5):785-789.

Harr, R.D. 1981. Some characteristics and consequences of melt from shallow snowpacks during rainfall in western Oregon. J. Hydrol. 53:277-304.

Harr, R.D. 1976. Forest practices and streamflow in western Oregon. USDA For. Serv., Gen. Tech. Report PNW-49. 18 pp.

Harr, R.D., A. Levno, and R. Mersereau. 1982. Changes in streamflow after logging 130-year-old Douglas-fir in two small watersheds in western Oregon. Water Resour. Res. 18(3):637-644.

Harr, R.D., J. Rothacher, and R.L. Fredriksen. 1979. Changes in streamflow following timber harvest in southwestern Oregon. USDA Forest Service Research Paper PNW-249. Pacific Northwest Forest and Range Experiment Station, Portland, OR.

Harr, R.D., W.C. Harper, J.T. Krygier, and F.s. Hsieh. 1975. Changes in storm hydrographs after roadbuilding and clearcutting in the Oregon Coast Range. Water Resour. Res. 11(3):436-444.

Harris, D.D. 1977. Hydrologic changes after logging in two small Oregon coastal watersheds. USDI Geological Survey Water Supply Paper 2037.

Independent Multidisciplinary Science Team (IMST). 2004. Oregon's water temperature standard and its application: causes, consequences, and controversies associated with stream temperature. Technical Report 2004-1 to the Oregon Plan for Salmon and Watersheds, Oregon Watershed Enhancement Board, Salem.

Ingwersen, J.B. 1985. Fog drip, water yield, and timber harvesting in the Bull Run municipal watershed, Oregon. Water Resour. Res. 21(3): 469-473.

Keppeler, E.T. and R.R. Ziemer. 1990. Logging effects on streamflow: water yield and summer low flows at Caspar Creek in northwestern Califonria. Water Resour. Res. 26(7):1669-1679.

Lehmkuhl, J.F. and L.F. Ruggiero. 1991. Forest fragmentation in the Pacific Northwest and its potential effects on wildlife. Pp. 35-46. In, L.F Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff (eds.) Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service Pacific Northwest Research Station. PNW-GTR-285. Portland, OR.

Levno, A. and J. Rothacher. 1969. Increase in maximum stream temperature after slash burning in a small experimental watershed. Research Note PNW-110. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 7 p.

Levno, A. and J. Rothacher. 1967. Increases in maximum stream temperatures after logging in old-growth Douglas-fir watersheds. USDA Research Note PNW-65. Pacific Northwest Forest and Range Experiment Station. Portland, OR.

Mattson, Chester R. 1955. Sandy River and Its Anadromous Salmonid Populations. Oregon Fish Commission, Portland, OR.

McArdle, R.E., and W.H. Meyer. 1961. The yield of Douglas fir in the Pacific Northwest. USDA Tech. Bull. 201, 74 p.

Megahan, W.F., J.P. Potyondy, and K.A. Seyedbagheri. 1992. Best management practices and cumulative effects from sedimentation in the South Fork Salmon river: an Idaho case study. In: Naiman, R.J. (ed.). Watershed Management: Balancing Sustainability and Environmental Change. Springer Verlag, New York. pp. 401-414.

Moore, K.M.S., K.K. Jones, and J.M. Dambacher. 1997. Methods for stream habitat surveys. Oregon Department of Fish and Wildlife, Information Report 97-4, Portland, Oregon.

Naiman, R.J. and R.E. Bilby (eds.). 1998. River Ecology and Management: Lessons from the Pacific Coastal Ecoregion. Springer-Verlag, New York. 696 pp.

Gordon Creek Watershed Analysis Chapter 12. References Cited

Newton, M. and E. Cole. 1994. Stand development and successional implications: pure and mixed stands. In: Hibbs, D.E.; DeBell, D.S.; Tarrant, R.F., eds. The biology and management of red alder. Corvallis, OR: OSU Press: 106-115. Chapter 7.

NPPC (Northwest Power Planning Council). 2002. Sandy Subbasin Plan.

NRCS (Natural Resource Conservation Service). 2006. http://www.wcc.nrcs.usda.gov/snow. Accessed April, 2006.

NRCS (formerly the USDA Soil Conservation Service). 1983. Soil Survey of Multnomah County, Oregon.

ODEQ (Oregon Department of Environmental Quality). 2006a. http://www.deq.state.or.us/wq/nonpoint/nonpoint.htm. Accessed May, 2006

ODEQ (Oregon Department of Environmental Quality). 2006b. http://www.deg.state.or.us/lab/wgm/wgimain.htm. Accessed April, 2006.

ODEQ (Oregon Department of Environmental Quality). 2005. Sandy River Basin Total Maximum Daily Load (TMDL). Portland, OR.

ODFW (Oregon Department of Fish and Wildlife). 1997. Sandy River Subbasin Fish Management Plan. Prepared by T. Murtagh, J. Massey and D. Bennett. Oregon Dept. of Fish and Wildlife, Portland, OR.

ODFW. 1995. Biennial report on the status of wild fish in Oregon. Oregon Department of Fish and Wildlife, Portland, OR.

ODFW. 1993. http://www.streamnet.org. Accessed April, 2006.

Oliver, C.D. and B.C. Larson. 1990. Forest Stand Dynamics. McGraw-Hill, Inc., New York.

OWRD (Oregon Water Resources Department). 2006.

http://www.wrd.state.or.us/owrd/sw/index.shtml#Surface Water Availability. Accessed April, 2006

PGE (Portland General Electric). 1998. Initial Information Package for the Bull Run Hydroelectric Project FERC No. 477. Portland General Electric, Portland, OR.

REO (Regional Ecosystem Office). 1995. Ecosystem analysis at the watershed scale: federal guide for watershed analysis. Regional Interagency Executive Committee, Regional Ecosystem Office. Portland, OR.

Robison E.G., K. Mills, J. Paul, L. Dent, and A. Skauget. 1999. Storm impacts and landslides of 1996. Forest Practices Technical Report #4, Forest Practices Monitoring Program. Oregon Department of Forestry, Salem.

ROD (Record of Decision). 1994. Record of decision for amendments to Forest Service and Bureau of Land Management Planning Documents Within the Range of the Northern Spotted Owl/

Gordon Creek Watershed Analysis Chapter 12. References Cited

Standards and Guidelines for Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. USDA Forest Service/USDI Bureau of Land Management. Report dated April 1994. Portland, OR.

Salem BLM. 1995. Salem District record of decision and resource management plan. USDI Bureau of Land Management, Salem District Office. Salem, OR.

Satterlund, D.R. and P.W. Adams. 1992. Wildland Watershed Management. John Wiley and Sons, New York.

SRBWC (Sandy River Basin Watershed Council). 2006. Salmon and steelhead conservation: an assessment of anchor habitat on the Sandy River, Oregon. Oregon Trout. Portland, OR.

SRBWC. 1999. Phase 1 Watershed Assessment for the Sandy River Basin. Sandy River Basin Watershed Council, Sandy, OR.

Sessions, J., J.C. Balcom, and K. Boston. 1987. Road location and construction practices: effects on landslide frequency and size in the Oregon Coast Range. Western Journal of Applied Forestry 2(4):119-124.

Spies, T.A. and J.F. Franklin. 1991. The structure of natural young, mature, and old-growth Douglas-fire forests in Oregon and Washington. Pp. 91-109. In, L.F Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff (eds.) Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service Pacific Northwest Research Station. PNW-GTR-285. Portland, OR.

Taylor, B. 1998. Salmon and Steelhead Runs and Related events of the Sandy River Basin - A Historical Perspective. Prepared for Portland General Electric.

USFS (US Forest Service). 1997. Bull Run Watershed Analysis. Mt. Hood National Forest. Sandy, OR.

USFS 1996. Upper Sandy Watershed Analysis. Mt. Hood National Forest. Sandy, OR.

USFS. 1993. A first approximation of ecosystem health: national forest system lands. Pacific Northwest Region, Regional Ecological Assessment Project. Portland, OR.

USFS. 1992. The 1992 riparian survey, North Fork of Gordon Creek. Mt. Hood National Forest. Sandy, OR.

Vesely, D.G. 1996. Terrestrial amphibian abundance and species richness in headwater riparian buffer strips, Oregon Coast Range. M.Sc. thesis. Oregon State Univ., Corvallis, OR.

Vesely, D.G. and W.C. McComb. 2002. Terrestrial salamander occurrence and species richness in headwater riparian buffer strips in the Oregon Coast Range. Forest Science 48:291-297.

Walker, G.W.. and N.S. MacLeod. 1991. Geologic map of Oregon. US Geological Survey Regional Office, Portland, OR.

Wemple, B.C., J.A. Jones, and G.E. Grant. 1996. Channel Network Extension by Logging Roads in Two Basins, Western Cascades, Oregon. Water Resources Bulletin, 32(6):1195-1207

WPN (Watershed Professionals Network). 1999. Oregon Watershed Assessment Manual. Prepared for the Governor's Watershed Enhancement Board. Salem, OR.

Wright, K.A., K.H. Sendek, R.M. Rice, and R.B. Thomas. 1990. Logging effects on streamflow: storm runoff at Caspar Creek in northwestern California. Water Resour. Res. 26(7):1657-1667.

Ziemer, R.R, 1981. Storm flow response to road building and partial cutting in small streams of northern California. Water Resour. Res. 17(4):907-917.